AtriCure

Creating a World Class Platform

J.P. MORGAN
HEALTHCARE CONFERENCE

January 2024

Forward Looking Statements and Non-GAAP Financial Measures

This presentation and oral statements made in connection with this presentation contain "forward-looking statements," which are statements related to future events that by their nature address matters that are uncertain. Forward-looking statements address, among other things, AtriCure's expected market opportunity, future business, financial performance, financial condition, and results of operations, and often contain words such as "intends," "estimates," "anticipates," "projects," "plans," "expects," "drives," "seek," "believes," "see," "focus," "should," "will," "would," "can," "opportunity," "target," "outlook," and similar expressions and the negative versions thereof. Such statements are based only upon current expectations of AtriCure. All forward-looking information is inherently uncertain and actual results may differ materially from assumptions, estimates, projections or expectations reflected or contained in the forward-looking statements as a result of various risk factors.

Reliance should not be placed on forward-looking statements because they involve known and unknown risks, uncertainties and other factors which may cause actual results, performance or achievements to differ materially from those expressed or implied. These risks, uncertainties and other factors include, but are not limited to, those identified at http://www.atricure.com/forward-looking-statements and/or described in AtriCure's Annual Reports on Form 10-K and Quarterly Reports on Form 10-Q, particularly the "Risk Factors" sections thereof, as filed with the U.S. Securities and Exchange Commission and available at http://www.sec.gov.

With respect to all forward-looking statements, AtriCure claims the protection of the safe harbor for forward-looking statements contained in the Private Securities Litigation Reform Act of 1995. Forward-looking statements speak only as of the date they are made. AtriCure undertakes no obligation, and does not expect, to publicly update or revise any forward-looking statements to reflect new information or future events or otherwise unless required by law.

To supplement AtriCure's consolidated financial statements prepared in accordance with accounting principles generally accepted in the United States of America, or GAAP, AtriCure provides certain non-GAAP financial measures as supplemental financial metrics in this presentation.

Adjusted EBITDA is calculated as net income (loss) before other income/expense (including interest), income tax expense, depreciation and amortization expense, share-based compensation expense, acquisition costs, legal settlements, impairment of intangible assets and change in fair value of contingent consideration liabilities. Management believes in order to properly understand short-term and long-term financial trends, investors may wish to consider the impact of these excluded items in addition to GAAP measures. The excluded items vary in frequency and/or impact on our continuing results of operations and management believes that the excluded items are typically not reflective of our ongoing core business operations and financial condition. Further, management uses adjusted EBITDA for both strategic and annual operating planning.

The non-GAAP financial measures used by AtriCure may not be the same or calculated in the same manner as those used and calculated by other companies. Non-GAAP financial measures have limitations as analytical tools and should not be considered in isolation or as a substitute for AtriCure's financial results prepared and reported in accordance with GAAP. We urge investors to review the reconciliation of these non-GAAP financial measures to the comparable GAAP financials measures, and not to rely on any single financial measure to evaluate our business.



We are passionately focused on healing the lives of those affected by Afib and pain after surgery

Large Markets

Addressing an underserved and growing patient population


Strong Portfolio

Existing products and solutions driving consistent growth

Bright Future

Novel therapies supported by growing body of clinical evidence

Afib: A Serious Problem



Atrial Fibrillation (Afib) is an irregular heartbeat (or arrhythmia) tied to higher risk of stroke, heart failure, dementia,

5xHigher Risk of Stroke¹

Greater Risk of Mortality²

Higher Risk of Heart Failure³

Afib: A Serious Problem

Afib affects more than 37 million people worldwide.4



8 Million

People estimated to have Afib in the US⁵



3.5 Million

People estimated to have long-standing persistent Afib in the US⁶




1 in 4 Adults

Over the age of 40 will develop Afib in their lifetime⁷



AtriCure Patient Profile

Differentiated Focus: Creating Standards of Care for Patients with Advanced Afib



Referring Physician: GP, Cardiologist

No Structural Issue Afib is primary concern



Medicine is effective

Intervention is better choice



Catheter often first line of treatment

PAROXYSMAL DERSISTENT LONG-STANDING PERSISTENT



Standalone Hybrid Procedures

Complementary to catheter ablation (Ablation/LAAM)

Significant Global Market Opportunity

\$5B+Global Opportunity

Pain Management

Ablation

Sternotomy Procedures

Cardiac Surgery

Concomitant Treatment PMA study underway for Non-Afib LAAM

Pain Management

Ablation

Thoracic Procedures

Cardiac Surgery

Open Ablation + LAAM

Concomitant Treatment Pre-Op Afib

Hybrid Therapy

MIS Ablation + LAAM

Standalone Treatment for Long-Standing Persistent Afib

Low Penetration in Existing Markets



Unlocking New Market Opportunities

Continuous innovation and clinical science to establish and expand markets

Hybrid Therapy

MIS Ablation

PMA study underway for IST




Cardiac Surgery Ablation + LAAM

Established Market and Advancing Innovation in Patient Care

Innovation

- Isolator Synergy EnCompass[®]
 Clamp launched 2022
- Growing AtriClip® platform and expansion of labeling (electrical isolation of LAA)



Clinical Science

- Isolator® Synergy Ablation
 System first medical device
 with FDA approval for
 treatment of persistent or long standing persistent Afib
 concomitant to open heart
 procedures
- LeAAPS IDE Trial studying prophylactic LAA exclusion for prevention of ischemic stroke in cardiac surgery patients without pre-operative AF diagnosis

Awareness

- Advanced Ablation Courses endorsed by the Society of Thoracic Surgeons
- Guidelines⁸ state Surgical
 Ablation is recommended
 and LAA management is
 recommended
- Over 500,000 AtriClip devices sold life to date and more than 400,000 ablations

Hybrid Therapy Ablation + LAAM

Growing Market with Unique Solutions for Advanced Afib Patients

Innovation

- Multiple approaches to treatment: Hybrid AF Therapy + AtriClip[®], DEEP
- EPi-Sense ST device launched 2023



Clinical Science


- CONVERGE IDE Trial: EPi-Sense® Guided Coagulation System approved by FDA for treatment of long-standing persistent Afib
- CEASE-AF clinical trial showing the benefits of hybrid ablation with LAA management
- DEEP AF study findings demonstrate safe and effective treatment in patients
- CAPLA Study⁹ Catheter ablation for persistent Afib – a multicenter randomized study of PVI alone vs. PVI with PWI
- HEAL-IST IDE Trial studying innovative procedure for treatment of IST

Awareness

- Hybrid Training Course co-sponsored by the Hearth Rhythm Society
- Guidelines⁸ state Hybrid AF Therapy is reasonable

Standalone Treatment of Afib

Clinical Trial Patient Landscape



*Percentages reflect the percentage of diagnosed AF patients in each disease stage in the AF Progression Clinical trial information based on internal research, as well as from publicly available information.



Pain Management

Leading Market Development through Ablation Expertise

Innovation

- cryoSPHERE® cryoablation probe launched 2019
- Expanded labeling for Cryo Nerve Block Therapy in adolescents (patients as young as 12 years of age)
- CNB Therapy in Sternotomy Procedures expansion with existing cryoSPHERE probe



Clinical Science & Awareness

- FROST Study: Pain Management in Post Thoracic Procedures via Intercostal Cryoanalgesia
- Can be an important tool in combatting the opioid epidemic – 1 in 7 thoracic surgery patients become reliant upon opioids after their procedure¹⁰
- Expanding investments in registries, studies and new therapy areas
- Over 50,000 devices sold to date



2023 Highlights and Accomplishments



Annual 21% Revenue Growth*

CLIMB Award Recognizing DE&I in STEM



Life to date **CryoSPHERE** revenue exceeded


Second

report published

\$100 million

sustainability

1,396 **Patients Enrolled** EAAPS



500k+

AtriClip Devices sold to date

CryoSPHERE+ probe cleared

Improving guidelines in cardiac surgery



All Top 50 Heart Hospitals Use AtriCure Products

US NEWS TOP HOSPITALS REPORT





Positive Adjusted EBITDA*

Improving profitability while driving growth




Financial Results and 2024 Outlook

2024 Guidance

Worldwide revenue of \$459 million to \$466 million (approximately 15-17% annual growth)

Positive Adjusted EBITDA of \$26 million to \$29 million

AtriCure will provide a reconciliation of non-GAAP measures to the related GAAP measure in the release of audited 2023 results.





^{* 2023} Worldwide Revenue is preliminary and unaudited. 2023 Adjusted EBITDA based on midpoint of guidance range.

^{** 2024} Worldwide Revenue and 2024 Adjusted EBITDA based on midpoint of guidance range.

AtriCure: Foundation for Success

Innovation

Continuous improvement, increasing pipeline

ising pipeline

Clinical Science

Differentiated clinical trials with superior patient outcomes



Expansion

Developing addressable markets and expanding patient impact globally

Profitable Growth

Strong history of revenue growth and acceleration from multiple catalysts with operating leverage







References and Abbreviations

J Geriatr Cardiol. 2016 Oct; 13(10): 880–882, doi: 10.11909/j.issn.1671-5411.2016.10.004 Odutayo, A. et al. (2016). Atrial fibrillation and risks of cardiovascular disease, renal disease, and deaths systematic review and meta analysis. BMJ 2016; 354:i4482 Santhanakrishnan R et al., "AF Begets Heart Failure and Vice Versa," Circulation, 133 (2016):484-492 European Heart Journal – Quality of Care and Clinical Outcomes (2021) 7, 574-582 doi: 10.1093/ehjqcco/qcaa061 The American Journal of Cardiology (2013), 112: 1142-1147 Medical management estimate: Colilia, et al. Estimates of Current and Future Incidence and Prevalence of Atrial Fibrillation in the U.S. Adult Population. Am Journal of Cardiology 2013, 112: 1142-1147 Persistent patient estimate: Berisso et al Epidemiology of atrial fibrillation: European perspective Clin Epidemiol. 2014; 6: 213–220 Lifetime risk for development of atrial fibrillation. Circulation, 110 (2004): 1042-1046. doi: 10.1161/01.CIR.0000140263.20897.42 The Society of Thoracic Surgeons 2017 Clinical Practice Guidelines for the Surgical Treatment of Atrial Fibrillation 2023 ACC/AHA/ACCP/HRS Guideline for the Diagnosis and Management of Atrial Fibrillation: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. Journal of the American College of Cardiology American Heart Journal. 2022 Jan; 243:210-220. doi: 10.1016/j.ahj.2021.09.015 The Society of Thoracic Surgeons, Current News Release (1/30/2018): 1 in 7 Lung Surgery Patients at Risk for Opioid Dependence	Note	Reference
BMJ 2016; 354:i4482 Santhanakrishnan R et al., "AF Begets Heart Failure and Vice Versa," Circulation, 133 (2016):484-492 European Heart Journal – Quality of Care and Clinical Outcomes (2021) 7, 574-582 doi: 10.1093/ehjqcco/qcaa061 The American Journal of Cardiology (2013), 112: 1142-1147 Medical management estimate: Colilia, et al. Estimates of Current and Future Incidence and Prevalence of Atrial Fibrillation in the U.S. Adult Population. Am Journal of Cardiology 2013, 112: 1142-1147 Persistent patient estimate: Berisso et al Epidemiology of atrial fibrillation: European perspective Clin Epidemiol. 2014; 6: 213–220 Lifetime risk for development of atrial fibrillation. Circulation, 110 (2004): 1042-1046. doi: 10.1161/01.CIR.0000140263.20897.42 The Society of Thoracic Surgeons 2017 Clinical Practice Guidelines for the Surgical Treatment of Atrial Fibrillation 2023 ACC/AHA/ACCP/HRS Guideline for the Diagnosis and Management of Atrial Fibrillation: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. Journal of the American College of Cardiology American Heart Journal. 2022 Jan; 243:210-220. doi: 10.1016/j.ahj.2021.09.015	1	J Geriatr Cardiol. 2016 Oct; 13(10): 880–882, doi: 10.11909/j.issn.1671-5411.2016.10.004
European Heart Journal – Quality of Care and Clinical Outcomes (2021) 7, 574-582 doi: 10.1093/ehjqcco/qcaa061 The American Journal of Cardiology (2013), 112: 1142-1147 Medical management estimate: Colilia, et al. Estimates of Current and Future Incidence and Prevalence of Atrial Fibrillation in the U.S. Adult Population. Am Journal of Cardiology 2013, 112: 1142-1147 Persistent patient estimate: Berisso et al Epidemiology of atrial fibrillation: European perspective Clin Epidemiol. 2014; 6: 213–220 Lifetime risk for development of atrial fibrillation. Circulation, 110 (2004): 1042-1046. doi: 10.1161/01.CIR.0000140263.20897.42 The Society of Thoracic Surgeons 2017 Clinical Practice Guidelines for the Surgical Treatment of Atrial Fibrillation 2023 ACC/AHA/ACCP/HRS Guideline for the Diagnosis and Management of Atrial Fibrillation: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. Journal of the American College of Cardiology American Heart Journal. 2022 Jan; 243:210-220. doi: 10.1016/j.ahj.2021.09.015	2	
The American Journal of Cardiology (2013), 112: 1142-1147 Medical management estimate: Colilia, et al. Estimates of Current and Future Incidence and Prevalence of Atrial Fibrillation in the U.S. Adult Population. Am Journal of Cardiology 2013, 112: 1142-1147 Persistent patient estimate: Berisso et al Epidemiology of atrial fibrillation: European perspective Clin Epidemiol. 2014; 6: 213–220 Lifetime risk for development of atrial fibrillation. Circulation, 110 (2004): 1042-1046. doi: 10.1161/01.CIR.0000140263.20897.42 The Society of Thoracic Surgeons 2017 Clinical Practice Guidelines for the Surgical Treatment of Atrial Fibrillation 2023 ACC/AHA/ACCP/HRS Guideline for the Diagnosis and Management of Atrial Fibrillation: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. Journal of the American College of Cardiology American Heart Journal. 2022 Jan; 243:210-220. doi: 10.1016/j.ahj.2021.09.015	3	Santhanakrishnan R et al., "AF Begets Heart Failure and Vice Versa," Circulation, 133 (2016):484-492
Medical management estimate: Colilia, et al. Estimates of Current and Future Incidence and Prevalence of Atrial Fibrillation in the U.S. Adult Population. Am Journal of Cardiology 2013, 112: 1142-1147 Persistent patient estimate: Berisso et al Epidemiology of atrial fibrillation: European perspective Clin Epidemiol. 2014; 6: 213–220 Lifetime risk for development of atrial fibrillation. Circulation, 110 (2004): 1042-1046. doi: 10.1161/01.CIR.0000140263.20897.42 The Society of Thoracic Surgeons 2017 Clinical Practice Guidelines for the Surgical Treatment of Atrial Fibrillation 2023 ACC/AHA/ACCP/HRS Guideline for the Diagnosis and Management of Atrial Fibrillation: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. Journal of the American College of Cardiology American Heart Journal. 2022 Jan; 243:210-220. doi: 10.1016/j.ahj.2021.09.015	4	European Heart Journal – Quality of Care and Clinical Outcomes (2021) 7, 574-582 doi: 10.1093/ehjqcco/qcaa061
Population. Am Journal of Cardiology 2013, 112: 1142-1147 Persistent patient estimate: Berisso et al Epidemiology of atrial fibrillation: European perspective Clin Epidemiol. 2014; 6: 213–220 Lifetime risk for development of atrial fibrillation. Circulation, 110 (2004): 1042-1046. doi: 10.1161/01.CIR.0000140263.20897.42 The Society of Thoracic Surgeons 2017 Clinical Practice Guidelines for the Surgical Treatment of Atrial Fibrillation 2023 ACC/AHA/ACCP/HRS Guideline for the Diagnosis and Management of Atrial Fibrillation: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. Journal of the American College of Cardiology American Heart Journal. 2022 Jan; 243:210-220. doi: 10.1016/j.ahj.2021.09.015	5	The American Journal of Cardiology (2013), 112: 1142-1147
Lifetime risk for development of atrial fibrillation. Circulation, 110 (2004): 1042-1046. doi: 10.1161/01.CIR.0000140263.20897.42 The Society of Thoracic Surgeons 2017 Clinical Practice Guidelines for the Surgical Treatment of Atrial Fibrillation 2023 ACC/AHA/ACCP/HRS Guideline for the Diagnosis and Management of Atrial Fibrillation: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. Journal of the American College of Cardiology American Heart Journal. 2022 Jan; 243:210-220. doi: 10.1016/j.ahj.2021.09.015	6	
The Society of Thoracic Surgeons 2017 Clinical Practice Guidelines for the Surgical Treatment of Atrial Fibrillation 2023 ACC/AHA/ACCP/HRS Guideline for the Diagnosis and Management of Atrial Fibrillation: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. Journal of the American College of Cardiology American Heart Journal. 2022 Jan; 243:210-220. doi: 10.1016/j.ahj.2021.09.015		Persistent patient estimate: Berisso et al Epidemiology of atrial fibrillation: European perspective Clin Epidemiol. 2014; 6: 213-220
2023 ACC/AHA/ACCP/HRS Guideline for the Diagnosis and Management of Atrial Fibrillation: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. Journal of the American College of Cardiology American Heart Journal. 2022 Jan; 243:210-220. doi: 10.1016/j.ahj.2021.09.015	7	Lifetime risk for development of atrial fibrillation. Circulation, 110 (2004): 1042-1046. doi: 10.1161/01.CIR.0000140263.20897.42
	8	2023 ACC/AHA/ACCP/HRS Guideline for the Diagnosis and Management of Atrial Fibrillation: A Report of the American College of
The Society of Thoracic Surgeons, Current News Release (1/30/2018): 1 in 7 Lung Surgery Patients at Risk for Opioid Dependence	9	American Heart Journal. 2022 Jan; 243:210-220. doi: 10.1016/j.ahj.2021.09.015
	10	The Society of Thoracic Surgeons, Current News Release (1/30/2018): 1 in 7 Lung Surgery Patients at Risk for Opioid Dependence

Key Abbreviations			
Afib or AF	Atrial Fibrillation		
CABG	Coronary Artery Bypass Graft		
CNB	Cryo Nerve Block		
EP	Electrophysiologist		
FDA	Food & Drug Administration		
GP	General Practitioner		
IDE	Investigational Device Exemption		
IST	Inappropriate Sinus Tachycardia		
LAA	Left Atrial Appendage		
LAAM	LAA Management		
LS	Long-standing		
PMA	Pre-Market Approval		
PVI	Pulmonary Vien Isolation		
PWI	Posterior Wall Isolation		
RF	Radio Frequency		

